



Foot Protection

List of Products

- Oxford Safety Shoes
- Lace-ups Safety Boots
- Pull-on Rigger Boots
- PVC Safety Boots
- Accessories



R | W LEATHER

Red Wing Leather

Handcrafted leather from S.B. Foot Tanning Co.

Starting with hides from U.S. raised cattle with minimal surface imperfections, we control every step of the process, using time-honored techniques to craft leather with natural beauty and unmatched durability.

SRC

Slip-resistant Outsoles

Performance on slippery surfaces

Soles that have been designed and tested to perform on slippery surfaces.

Soles identified as SRC meet the standard listed with each product.



SuperSole®

Comfort inside. Durable outside.

Single density urethane sole designed to provide durability and comfort. It delivers performance factors of abrasion resistance, cut resistance, traction, and oil and chemical resistance.




Mini Lug SuperSole®



Red Wing Waterproof

3-layers for waterproof protection


This system uses a 3-layer approach to keep feet dry. 1 - Linings help move moisture away from the foot to keep it dry. 2 - Foam provides cushioning and a comfortable fit. 3 - A waterproof bootie is a barrier to keep water out. Tricot, a protective material, is applied to the outside of the bootie to ensure a complete waterproof system.



Cushin

Comfort tongue technology

Minimizes pressure some workers feel on their shin or ankle from the top of the boot tongue. A four-way stretch nylon offers relief and flexibility while walking, and an internal padded waffle mesh maintains premium comfort.




Minimizes pressure on shin.



Boa® Lacing System

Revolutionary closure system

Boa® technology makes getting in and out of lace-up boots faster and easier than ever. Turn the dial to tighten laces to the perfect tension, with no pressure points. One click of the reel releases the laces instantly.



Quick on and off convenience.

Foot Protection

8264

SUPERSOLE® Men's 9-inch Pull-On Boot



Features:

Upper: Finished Split Brown Leather

Toe: Steel Toe

Rating: ASTM F2413-11, M/I/75/C/75, EH PR

Size: EEE 6-12,13,14



Clearance * 8212

SUPERSOLE® Men's Chukka



: Features

Upper: Abrasion Resistant Nylon and TPU

Toe: Steel Toe

Rating: ASTM F2413-11 M/I/75/C/75, M/I/75, EH



Clearance * 8231

SUPERSOLE® Men's 11-inch Pull-On Boot



: Features

Upper: Full Grain, Water-Resistant Brown Boomer Leather

Toe: Steel Toe

Rating: ASTM F2413-11 M/I/75/C/75, EH PR



Clearance * 4441

SUPERSOLE® Men's 11-inch Pull-On Boot



: Features

Upper: Full Grain, Water-Resistant Velva Boomer Leather Steel

Toe: Toe

Rating: ASTM F2413-11, M/I/75/C/75, EH PR



Foot Protection

2226 / 2238 * Clearance

SUPERSOLE® Men's 6-8 inch Boot

2226
6-inch Boot



2238
8-inch Boot



Features: 2226

Upper: Full Grain Turbo Vegas Leather

Toe: Steel Toe

Rating: ASTM F2413-11, MI/75/C/75, EH

Features: 2238

Upper: Full Grain, Water-Resistant Brown Boomer Leather

Toe: Steel Toe

Rating: ASTM F2413-11, MI/75/C/75, EH

R | W
LEATHER



SUPERSOLE

XXXX

DEVON SAFETY BOOT



:Features

:Upper

:Sole

:Standards

Green PVC Black

PVC

EN ISO20345.S5



XXXX

Accessories



442
3M



450
3M



97200
Red Wing Socks



95190
Red Wing Ice Grips



3205 / 3207 * New

PETROKING LT MEN'S 6 / 8 -INCH BOOT



Features:

Upper: Full Grain Black Leather

Footbed: Nylon Covered Polyurethane

Toe: Non-Metallic Toe

Rating: ASTM F2413-11, M/1/75/C/75, SD PR EN
ISO 20345:2011 S3 SRC HRO ESD

Size: 36 - 48



L-protection®
LENZI



SRC

ew
PETROKING LT Men's 6 inch Boot



Features:

Upper: Full Grain Brown Leather

Footbed: Nylon Covered Polyurethane

Toe: Non-Metallic Toe

Rating: ASTM F2413-11, M/1/75/C/75, EH PR

EN ISO 20345:2011 SB SRC P E WRU HRO FO

Size: 36 - 48



L-protection®
LENZI



SRC